Git4C: Administration guide

Overview

Admin panel is located in General configuration Administration Git4C Admin

Confluence Spaces -	People Create					۹ ۵۰ ۵۰ ۵
nfluence admir	nistration					
GURATION al Configuration	Git4C configuration					•
er Configuration	Predefined Repositories 1					Add Predefined Reposito
ge Referrers	URL		Nam		lbe	Action
iges	https://kurban@bitbucket.networkedassets.netbitbucket/scm/condoc/markup-test	git	My i	twesome repository L	SERNAMEANDPASSWORD	9 , 1 ₀
l Gadgets						•
Temptates and rts						6
Templates	Predefined filters					Add predefined fit
	Name	Pattern		•	Action	
lacros	Gherkin	".feature		U	•	
Notifications	Kolin Srata	** 54 ala			* •	
at integration ment Storage	Java	, soaa **.java			- 8	
Prevention	Markdown	**.md			8	
Sport Language	Macros in system					
ure Code Macro Connector	Space		Page	Type	Status	
AV Configuration	Demonstration Space		multi1	¥ 9	o 😶	
SIAN MARKETPLACE	Demonstration Space		single1	0 😶	0	
ew add-ons ge add-ons						
	Other Catlings					
s & security						
26 (1	Restore default filters					
ity Configuration	Clean unused data					
e Permissions						
Directories						
382						
105						
ir Scheme						
1. Lis 2. But 3. But 4. Re 5. Lis 6. But 7. Re	t of Predefined repositorie tton for adding predefined tton for editing a given pro- move given predefined re t of predefined filters tton for adding a predefined fil move given predefined fil	es d repository edefined repository pository button ed filter ter button				
8. LIS	t of macros in system					
9. Mu	Iti file macro indication					

- 10. Single file macro indication
- 11. Macro healthcheck
- 12. Remove all plugin data
- 13. Remove all filters and restore default ones
- 14. Clean all unused data

Cleaning data

To remove all plugin click "Clean data" on the bottom of the page. To conflirm action click "Clean"

ation	WARNING		
ries	You are about to permamently remove all of All Git Viewer for Confluence macros will working.	lata. I stop	
	Clean	Cancel	Туре
an/MyAwesomeSuperSecretRepository.git	Some S	Super Awesome Repository	NOAUTH
	Pattern		
	**.feature		
	**.kt		

Creating predefined repository

You can create new predefined repository by clicking "Add Predefined"

After clicking the button a dialog would show up

Git4C macro	parameters	×
Name	custom	
	Please type your repositorys name	
Repository url	git clone URL	
	Please type your repositorys git fle url	
Connection and	Http: No Authorization	
Authorization type		
		Save
can change authorization ty	pe to SSH or HTTP username and password	

Git4C macro parameters

Name custom Please type your repositorys name Repository un git clone URL Please type your repositorys git fle unt Connection and Authorization type SSH: Private Key SSH key Repository Repository Please type your SSH key
Please type your repositorys name Repository un git clone URL Please type your repositorys git fle und Connection and Authorization type SSH key key Please paste your SSH key
Repository ut git clone URL Please type your repositorys git fle ut Connection and Authorization type SSH: Private Key SSH key Repository Repository Please type your repositorys git fle ut Please type your repositorys git fle ut Please type your repository Please type your state your
Please type your repositorys git fle uri Connection and Authorization type SSH key Key Please paste your SSH key
Connection and Authorization type SSH: Private Key SSH key key Image:
SSH key key Please paste your SSH key
Save

 \times

Git4C macro parameters

Name	custom
	Please type your repositorys name
Repository url	git clone URL
	Please type your repositorys git fle url
Connection and	Http: Username + Password
Authorization type	
Username	username
	Please type your username to given git
Password	password
	Please type your password to given git

Save

×

Removing predefined repository

You can remove predefined repository by clicking bin icon on the right-hand site. To confirm deletion click "Remove" button in dialog that would show up.

ation	WARNING		
ries	You are about to permamently remove a predefined repository. All Git Viewer for Confluence macros using this repository will stop working.		
dAssets/ait4c.ait	Remove Cancel	lence	Type
an/MyAwesomeSuperSecretRepository.git	Some Super Aweso	me Repository	NOAUTH
	Pattern		
	**.feature		
	**.kt		

Creating new filter

You can create new predefined repository by clicking "Add predefined filter"

Create new f	ilter	×
Name Pattern	Filter name Please type your filter name Filter pattern	
	Please type your pattern	Save
Git4C uses Glob for filtering files	: https://docs.oracle.com/javase/tutorial/essential/io/fileOps.html#glob	

Removing filter

You can remove filter by clicking bin icon on the right-hand site. To confirm deletion click "Remove" button in dialog that would show up.

ation	WARNING	
ries	You are about to permanently remove a predefined filter. Filter will not be available anymore in a list shown to user during macro creation.	
:dAssets/git4c.git	Remove Cancel Jence	Type USERNAMEAND
an/MyAwesomeSuperSecretRepository.git	Some Super Awesome Repository	NOAUTH
	Pattern	
	**.feature	
	**.kt	

Restoring filter

To restore default filters click "Restore default filters" at the bottom of the page. To confirm click "Restore" button in dialog that would show up.

ation	WARNING	
ries	You are about to restore default filters. All predefined filters will be deleted. This process is permanent	7.00
dAssets/ait4c.ait	Restore Cancel Jence	USERNAMEAND
an/MyAwesomeSuperSecretRepository.git	Some Super Awesome Repository	NOAUTH
	Pattern	